





In accordance with EN standards 926-2:2013 & 926-1:2006:

Date of issue (DMY):

PG_1019.2016 13. 05. 2016

Manufacturer: Niviuk Gliders / Air Games S.L.

Model: Ikuma P 25

Serial number: Ikuma P 1-25 pattern v2

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	100
Minimum weight in flight (kg)	80
Glider's weight (kg)	3.8
Number of risers	3
Projected area (m2)	20.75
Harmone used for testing (may weight)	

Accessories

Range of speed system (cm)	12.5
Speed range using brakes (km/h)	14
Range of trimmers (cm)	0
Total speed range with accessories (km/h)	25

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Access M
Harness to risers distance (cm)	43
Distance between risers (cm)	46









In accordance with EN standards 926-2:2013 & 926-1:2006:

Date of issue (DMY):

PG_1056.2016 13. 05. 2016

Manufacturer: Niviuk Gliders / Air Games S.L.

Model: Ikuma P 21

Serial number: Ikuma P 1-21 pattern V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	75
Minimum weight in flight (kg)	55
Glider's weight (kg)	3.35
Number of risers	3
Projected area (m2)	17.83

Harness used for testing (max weight)

	U (0 /	
Harness type			ABS
Harness brand			Supair
Harness model			Altiplume M
Harness to risers distanc	e (cm)		43
Distance between risers	(cm)		40

Accessories

Range of speed system (cm)	12.2
Speed range using brakes (km/h)	14
Range of trimmers (cm)	0
Total speed range with accessories (km/h)	25









In accordance with EN standards 926-2:2013 & 926-1:2006:

Date of issue (DMY):

PG_1057.2016 13.05.2016

12.2

Manufacturer: Niviuk Gliders / Air Games S.L.

Ikuma P 23 Model:

Serial number: Ikuma P 1-23 pattern V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	85
Minimum weight in flight (kg)	65
Glider's weight (kg)	3.6
Number of risers	3
Projected area (m2)	19.53

Accessories

Range of speed system (cm)

č i <i>j</i> (<i>j</i>	
Speed range using brakes (km/h)	14
Range of trimmers (cm)	0
Total speed range with accessories (km/h)	25

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Hamak M
Harness to risers distance (cm)	44
Distance between risers (cm)	44









In accordance with EN standards 926-2:2013 & 926-1:2006:

Date of issue (DMY):

PG_1058.2016 13. 05. 2016

Manufacturer: Niviuk Gliders / Air Games S.L.

Model: Ikuma P 27

Serial number: Ikuma P 1-27 pattern V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	115
Minimum weight in flight (kg)	95
Glider's weight (kg)	4.1
Number of risers	3
Projected area (m2)	22.44

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Hamak L
Harness to risers distance (cm)	43
Distance between risers (cm)	46

Accessories

Range of speed system (cm)	12.5
Speed range using brakes (km/h)	14
Range of trimmers (cm)	0
Total speed range with accessories (km/h)	25

