Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **C**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2107.2023

21.02.2023

Niviuk Gliders / Air Games S.L.

ARTIK R 21 SIPS560013

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	85	Range of speed system (cm)	15.6
Minimum weight in flight (kg)	65	Speed range using brakes (km/h)	13
Glider's weight (kg)	4.4	Total speed range with accessories (km/h)	28
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	18.36		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk Gliders	Warning! Before use refer to user's manual	
Harness model	Konvers M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	44		

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **C**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2092.2022

04.01.2023

Niviuk Gliders / Air Games S.L.

ARTIK R 23 ARTIKR523

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	95	Range of speed system (cm)	14.6
Minimum weight in flight (kg)	80	Speed range using brakes (km/h)	13
Glider's weight (kg)	4.5	Total speed range with accessories (km/h)	28
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	19.64		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk Gliders	Warning! Before use refer to user's manual	
Harness model	Konvers M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	44		

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **C**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2093.2022

04.01.2023

Niviuk Gliders / Air Games S.L.

ARTIK R 25 SIPS560009

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	105	Range of speed system (cm)	17.2
Minimum weight in flight (kg)	90	Speed range using brakes (km/h)	13
Glider's weight (kg)	4.8	Total speed range with accessories (km/h)	28
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	20.92		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk Gliders	Warning! Before use refer to user's manual	
Harness model	Konvers M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	48		

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **C**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021

Date of issue (DMY):

Manufacturer:

Model: Serial number: CIVIUK

PG_2122.2023

25.04.2023

Niviuk Gliders / Air Games S.L.

ARTIK R 27 SIPS382684

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	120	Range of speed system (cm)	16.8
Minimum weight in flight (kg)	100	Speed range using brakes (km/h)	13
Glider's weight (kg)	5	Total speed range with accessories (km/h)	28
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	22.63		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Supair	Warning! Before use refer to user's manual	
Harness model	Evo XC 3 L	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 B A B C A A A A C C A A C C A A A B O B B A O

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **C**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2180.2023

28.04.2023

Niviuk Gliders / Air Games S.L.

ARTIK R 29

ARTIKR29FTV1

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	135	Range of speed system (cm)	16.5
Minimum weight in flight (kg)	110	Speed range using brakes (km/h)	13
Glider's weight (kg)	5.4	Total speed range with accessories (km/h)	28
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	24.76		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk Gliders	Warning! Before use refer to user's manual	
Harness model	Konvers M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	48		