Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **D**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-

565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: CONTRACT

PG_2120.2023

19.04.2023

Niviuk Gliders / Air Games S.L.

PEAK 6 21

PEAK621

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	85	Range of speed system (cm)	13.5
Minimum weight in flight (kg)	70	Speed range using brakes (km/h)	13
Glider's weight (kg)	4.8	Total speed range with accessories (km/h)	31
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	17.55		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk Gliders	Warning! Before use refer to user's manual	
Harness model	Konvers M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **D**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

Date of issue (DMY):

Model: Serial number:

Manufacturer:

Niviuk Gliders / Air Games S.L.

PEAK6422

NIVIUK

PG_2078.2022

12.01.2023

Peak 6 22

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	98	Range of speed system (cm)	15.9
Minimum weight in flight (kg)	80	Speed range using brakes (km/h)	12
Glider's weight (kg)	5.1	Total speed range with accessories (km/h)	35
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	18.83		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Dudek	Warning! Before use refer to user's manual	
Harness model	Zero Gravity M	Person or company having presented the glider for testing: Tim Rochas	
Harness to risers distance (cm)	43		
Distance between risers (cm)	44		

19 20 21 22 23 12 13 14 15 18

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **D**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-

565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2127.2023

19.04.2023

Niviuk Gliders / Air Games S.L.

PEAK 6 24

PEAK624

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	110	Range of speed system (cm)	17.1
Minimum weight in flight (kg)	92	Speed range using brakes (km/h)	13
Glider's weight (kg)	5.4	Total speed range with accessories (km/h)	31
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	20.29		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Dudek	Warning! Before use refer to user's manual	
Harness model	Zero Gravity M	Person or company having presented the glider for testing: None	
	40		
Harness to risers distance (cm)	43		

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **D**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-

565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_2179.2023

19.04.2023

Niviuk Gliders / Air Games S.L.

PEAK 6 26

PEAK626FTV1

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	125	Range of speed system (cm)	16.2
Minimum weight in flight (kg)	105	Speed range using brakes (km/h)	13
Glider's weight (kg)	5.8	Total speed range with accessories (km/h)	31
Number of risers	2+1	Range of trimmers (cm)	0
Projected area (m2)	21.83		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Dudek	Warning! Before use refer to user's manual	
Harness model	Zero Gravity M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	43		
Distance between risers (cm)	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 C A B C A A A A D D A A C D A A A B O A A A