Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2323.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 20

WILCO20V21

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	13.9
Minimum weight in flight [kg]	40	Speed range using brakes [km/h]	14
Glider's weight [kg]	3.6	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m ²]	17.58		
Harness used for testing (max wei	ght)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Supair s.a.s.		
Harness model	Altiplume M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	40		

9 10 11 12 13 14 15 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG_2324.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 22

WILCO22V21

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	12.9
Minimum weight in flight [kg]	55	Speed range using brakes [km/h]	14
Glider's weight [kg]	3.8	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	19.34		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

9 10 11 12 13 14 15 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG_2325.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 24

WILKO224

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	13.1
Minimum weight in flight [kg]	65	Speed range using brakes [km/h]	14
Glider's weight [kg]	4	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	21.09		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

10 11 12 13 14 15 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

TARGET 26 Model:

WILKO226 Serial number:

Configuration during flight tests

	Accessories	
105	Range of speed system [cm]	13.3
75	Speed range using brakes [km/h]	14
4.3	Total speed range with accessories [km/h]	22
3+1	Range of trimmers [cm]	0
22.85		
weight)	Inspections (whichever happens first)	
ABS	Every 2 years or every 100 flight hours	
Advance Thun AG		
Success 4 M	Person or company having presented the	
43	glider for testing: None	
48		
	75 4.3 3+1 22.85 weight) ABS Advance Thun AG Success 4 M	105 Range of speed system [cm] 75 Speed range using brakes [km/h] 4.3 Total speed range with accessories [km/h] 3+1 Range of trimmers [cm] 22.85 weight) Inspections (whichever happens first) Every 2 years or every 100 flight hours Advance Thun AG Success 4 M Person or company having presented the glider for testing: None

PG_2326.2024

Niviuk Gliders / Air Games S.L.

10.01.2024

9 10 11 12 13 14 15 18 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2327.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 28

WILKO228

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	120	Range of speed system [cm]	13.4
Minimum weight in flight [kg]	90	Speed range using brakes [km/h]	14
Glider's weight [kg]	4.6	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	24.61		
Harness used for testing (max weight	ght)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Supair s.a.s.		
Harness model	Evo XC 3 L	Person or company having presented the	
Harness to risers distance [cm]	44	glider for testing: None	
Distance between risers [cm]	48		

10 11 12 13 14 15 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2328.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 30

WILKO230

Configuration during flight tests

	Accessories	
135	Range of speed system [cm]	13.2
105	Speed range using brakes [km/h]	14
4.9	Total speed range with accessories [km/h]	22
3+1	Range of trimmers [cm]	0
26.37		
)	Inspections (whichever happens first)	
ABS	Every 2 years or every 100 flight hours	
Supair s.a.s.		
Evo XC 3 L	Person or company having presented the	
44	glider for testing: None	
48		
	105 4.9 3+1 26.37 ABS Supair s.a.s. Evo XC 3 L	135 Range of speed system [cm] 105 Speed range using brakes [km/h] 4.9 Total speed range with accessories [km/h] 3+1 Range of trimmers [cm] 26.37 Inspections (whichever happens first) ABS Every 2 years or every 100 flight hours Supair s.a.s. Evo XC 3 L Person or company having presented the glider for testing: None

9 10 11 12 13 14 15 18 19 20 21 22 23