

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

Date: 2024/06/20 n. 1079242501/OE Validity: 2029/06/19

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	AIR GAMES SL Carrer del Ter 6-Nave D, La Cellera de Ter, Girona – SPAIN Impact pad for paragliding harness		
Type of PPE:			
Category of PPE:	II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Model	"ARRFO P"		
Description:	Foam impact protector to be fitted into paragliding harness. This impact protector is removable, and therefore it can be detached from the harness		



The complete material description and construction of this impact protector can be found in the Technical File of reference.

This impact protector is associated with the reference paragliding harnesses:

ARROW P

ARROW P R

See pictures on page 3.

Technical Standard:	EN 1651:2018+A1:2020	Paragliding equipment – Harnesses – Safety requirements and strength tests
Intended use:	reduce the compression de paragliding activities.	amage to the spine of the pilot in case of wrong landing in
Size range:	from S to L	
Technical File:	DC-17353	
Test report:	AIR-TURQUOISE SA n° MISC	_255.2023



### DDD Nº 0220 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

Date: 2024/06/20 n. **1079242501/OE** Validity: 2029/06/19

# Functions and performance levels:

Prevent injuries caused by impacts that may occur in paragliding activities, by absorbing the impact energy to the body of the pilot.

The protector passed the impact testing performed with a test dummy (min. 50 Kg) lifted up to a minimum height of 165cm (measured from the impact surface to the lowest point of the dummy).


### Requirements:

- maximum peak value: 50 g;
- at value of 38 g: maximum duration of 7 ms;
- at value of 20 g: maximum duration of 25 ms.

### Marking:

on a stitched label displaying the following information:

- CE Marking;
- registered trademark and web site of the Manufacturer;
- item designation of the PPE;
- nr. and year of the European Standard of reference;
- size indication;
- date of manufacture;
- test reference number;
- notice inviting the user to read the user manual;
- notice for removable impact pads as set out by the Standard;
- additional info: name/address of the test house and "Made in...".











### DBD No USSU B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# EU Type Examination Certificate

Date: 2024/06/20 n. **1079242501/OE** Validity: 2029/06/19

## Reference paragliding harnesses:



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).