Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Serial number:

Model:

PG_2447.2024

10.10.2024

Niviuk Gliders / Air Games S.L.

Hiko 20

PHIKO20

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	16.6
Minimum weight in flight [kg]	50	Speed range using brakes [km/h]	13
Glider's weight [kg]	4	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	17.51		
Harness used for testing (max v	veight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	Wani Light 2 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **B**

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2436.2024

10.10.2024

Niviuk Gliders / Air Games S.L.

Hiko 22

HIKO122

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	16.3
Minimum weight in flight [kg]	65	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.2	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m ²]	18.62		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	44		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **B**

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20 Date of issue (DMY):

Manufacturer:

Serial number:

Model:

PG_2433.2024

10.10.2024

Niviuk Gliders / Air Games S.L.

Hiko 24

OKUMA224

Configuration during flight tests

	Accessories	
95	Range of speed system [cm]	19.4
75	Speed range using brakes [km/h]	13
4.3	Total speed range with accessories [km/h]	26
3+1	Range of trimmers [cm]	n/a
20.33		
weight)	Inspections (whichever happens first)	
ABS	every 100 hours of use or every 24 months	
Advance Thun AG		
Success 4 M	Person or company having presented the	
43	glider for testing: None	
44		
	75 4.3 3+1 20.33 weight) ABS Advance Thun AG Success 4 M	95 Range of speed system [cm] 75 Speed range using brakes [km/h] 4.3 Total speed range with accessories [km/h] 3+1 Range of trimmers [cm] 20.33 weight) Inspections (whichever happens first) every 100 hours of use or every 24 months Advance Thun AG Success 4 M Person or company having presented the glider for testing: None

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **B**

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG_2434.2024

10.10.2024

Niviuk Gliders / Air Games S.L.

Hiko 26

HIKO126

Configuration during flight tests

	Accessories	
105	Range of speed system [cm]	19.4
85	Speed range using brakes [km/h]	13
4.8	Total speed range with accessories [km/h]	26
3+1	Range of trimmers [cm]	n/a
22.04		
veight)	Inspections (whichever happens first)	
ABS	every 100 hours of use or every 24 months	
Woody Valley srl		
Wani Light 2 L	Person or company baying presented the	
43	gider for testing. NOTIC	
48		
	veight) ABS Woody Valley srl Wani Light 2 L	105 Range of speed system [cm] 85 Speed range using brakes [km/h] 4.8 Total speed range with accessories [km/h] 3+1 Range of trimmers [cm] 22.04 veight) Inspections (whichever happens first) every 100 hours of use or every 24 months Woody Valley srl Wani Light 2 L Person or company having presented the glider for testing: None

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Niviuk Gliders / Air Games S.L.

PG_2448.2024

10.10.2024

Classification: **B**

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20 Date of issue (DMY):

Manufacturer:

Hiko 28 Model: PHIKO28 Serial number:

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	19.4
Minimum weight in flight [kg]	95	Speed range using brakes [km/h]	13
Glider's weight [kg]	5.1	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	23.75		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





PG_2449.2024

10.10.2024

Classification: **B**

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Niviuk Gliders / Air Games S.L. Manufacturer:

Hiko 30 Model:

PHIKO30 Serial number:

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	128	Range of speed system [cm]	19
Minimum weight in flight [kg]	105	Speed range using brakes [km/h]	13
Glider's weight [kg]	5.5	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m ²]	25.63		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 L	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	48		