



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2474.2024

Date of issue (DMY):

28.10.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hiko P 20

Serial number:

PHIKO20

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	75
Minimum weight in flight [kg]	50
Glider's weight [kg]	3
Number of risers	3+1
Projected area [m ²]	17.51

Accessories

Range of speed system [cm]	16.6
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	26
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A A A A B B A A B B A A A B A A A A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2475.2024

Date of issue (DMY):

28.10.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hiko P 22

Serial number:

HIKO122

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	85
Minimum weight in flight [kg]	65
Glider's weight [kg]	3.1
Number of risers	3+1
Projected area [m ²]	18.62

Accessories

Range of speed system [cm]	16.3
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	26
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan M
Harness to risers distance [cm]	41
Distance between risers [cm]	44

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A A A A B B A A B A A B A A A A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2476.2024

Date of issue (DMY):

28.10.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hiko P 24

Serial number:

HIKOP1241

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	95
Minimum weight in flight [kg]	75
Glider's weight [kg]	3.4
Number of risers	3+1
Projected area [m ²]	20.33

Accessories

Range of speed system [cm]	19.4
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	26
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A A A A B B A A B A A B A A A A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2477.2024

Date of issue (DMY):

28.10.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hiko P 26

Serial number:

HIKO126

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	105
Minimum weight in flight [kg]	85
Glider's weight [kg]	3.5
Number of risers	3+1
Projected area [m ²]	22.04

Accessories

Range of speed system [cm]	19.4
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	26
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 L

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	48

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A A A A A A B A A A B A A B A A A A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2478.2024

Date of issue (DMY):

28.10.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hiko P 28

Serial number:

PHIKO28

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	115
Minimum weight in flight [kg]	95
Glider's weight [kg]	3.7
Number of risers	3+1
Projected area [m ²]	23.75

Accessories

Range of speed system [cm]	19.4
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	26
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan L
Harness to risers distance [cm]	41
Distance between risers [cm]	48

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A A A A A A B A A A B A A B A A A A 0