



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2455.2024

Date of issue (DMY):

20.11.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Takoo 6 38

Serial number:

TAKOO6338

Configuration during flight tests

Paraglider

| | |
|----------------------------------|--------------|
| Maximum weight in flight [kg] | 190 |
| Minimum weight in flight [kg] | 110 |
| Glider's weight [kg] | 7.4 |
| Number of risers | 4+1 |
| Projected area [m ²] | 32.27 |

Accessories

| | |
|---|------------|
| Range of speed system [cm] | n/a |
| Speed range using brakes [km/h] | 12 |
| Total speed range with accessories [km/h] | 17 |
| Range of trimmers [cm] | 9.7 |

Harness used for testing (max weight)

| | |
|---------------------------------|------------------------|
| Harness type | ABS |
| Harness brand | Advance Thun AG |
| Harness model | Bi-pro 2 |
| Harness to risers distance [cm] | 44 |
| Distance between risers [cm] | 55 |

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A A A 0 0 A A B A A A B A A A A A A A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2444.2024

Date of issue (DMY):

15.11.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Takoo 6 41

Serial number:

TAKOO63141

Configuration during flight tests

Paraglider

| | |
|----------------------------------|--------------|
| Maximum weight in flight [kg] | 220 |
| Minimum weight in flight [kg] | 120 |
| Glider's weight [kg] | 7.9 |
| Number of risers | 4+1 |
| Projected area [m ²] | 34.82 |

Accessories

| | |
|---|------------|
| Range of speed system [cm] | n/a |
| Speed range using brakes [km/h] | 12 |
| Total speed range with accessories [km/h] | 17 |
| Range of trimmers [cm] | 9.5 |

Harness used for testing (max weight)

| | |
|---------------------------------|------------------------|
| Harness type | ABS |
| Harness brand | Advance Thun AG |
| Harness model | Bi-pro 3 M |
| Harness to risers distance [cm] | 42 |
| Distance between risers [cm] | 55 |

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A B A 0 0 A A B B A A A B A A B A A 0 A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2450.2024

Date of issue (DMY):

15.11.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Takoo 6 44

Serial number:

TAKOO6344

Configuration during flight tests

Paraglider

| | |
|----------------------------------|--------------|
| Maximum weight in flight [kg] | 240 |
| Minimum weight in flight [kg] | 140 |
| Glider's weight [kg] | 8.3 |
| Number of risers | 4+1 |
| Projected area [m ²] | 37.37 |

Accessories

| | |
|---|------------|
| Range of speed system [cm] | n/a |
| Speed range using brakes [km/h] | 12 |
| Total speed range with accessories [km/h] | 17 |
| Range of trimmers [cm] | 9.4 |

Harness used for testing (max weight)

| | |
|---------------------------------|------------------------|
| Harness type | ABS |
| Harness brand | Advance Thun AG |
| Harness model | Bi-pro 3 M |
| Harness to risers distance [cm] | 42 |
| Distance between risers [cm] | 55 |

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A B A A A B A A A B 0 A 0 A 0