Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





PG_2456.2024

10.12.2024

Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer: Niviuk Gliders / Air Games S.L.

Model: Artik 7 P 20

Serial number: ARTIK7P320E2

Configuration during flight tests

	Accessories	
75	Range of speed system [cm]	15.1
55	Speed range using brakes [km/h]	12
3.2	Total speed range with accessories [km/h]	26
3+1	Range of trimmers [cm]	n/a
17.31		
veight)	Inspections (whichever happens first)	
ABS	every 100 hours of use or every 24 months	
Woody Valley srl		
Wani Light 2 M	Person or company having presented the	
43	glider for testing: None	
43		
	55 3.2 3+1 17.31 veight) ABS Woody Valley srl Wani Light 2 M	75 Range of speed system [cm] 55 Speed range using brakes [km/h] 3.2 Total speed range with accessories [km/h] 3+1 Range of trimmers [cm] 17.31 veight) Inspections (whichever happens first) every 100 hours of use or every 24 months Woody Valley srl Wani Light 2 M Person or company having presented the glider for testing: None

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2445.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 22

ARTIK7P22

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	17.3
Minimum weight in flight [kg]	65	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.3	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	18.59		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2446.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 23

ARTIK7P223

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	17.1
Minimum weight in flight [kg]	75	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.5	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	19.61		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 B A B C A A A A C A A A A B A A B O B B A O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2457.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 24

ARTIK7P24324

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	17.3
Minimum weight in flight [kg]	85	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.6	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	20.89		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **B A A C A A A B B A A A B A A B B A A A B A B A A A B A B A B A A A B A B A A A B A B A A B A**

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20
Date of issue (DMY):

•

Manufacturer:

Serial number:

Model:

PG_2463.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 26

ARTIK7P326

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	17.7
Minimum weight in flight [kg]	95	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.7	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	22.17		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **B** A B A A A A A C B A A B B A A A A O B B A O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2464.2024

23.01.2025

Niviuk Gliders / Air Games S.L.

Artik 7 P 28

ARTIK7P3282

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	125	Range of speed system [cm]	17.6
Minimum weight in flight [kg]	105	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.9	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	23.45		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **R** A **R R** A A A A C **R** A A **R** C A A A A O **R R** A O