#### AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



### **Paragliding Harness - EN**

PH\_461.2024 Inspection number : **Niviuk Gliders** Manufacturer : Konvers 3 L Model and size : Maximum pilot weight [kg] : 120 Integrated container for rescue system: Yes If Yes. Volume of the container [cm<sup>3</sup>] : 3700 min 6000 max Serial number: \_\_\_\_\_ Production date (year / month) : \_\_\_\_\_ \_\_\_\_\_ Harness protector (impact pad) Impact pad type: Airbag Impact pad integrated: Yes PH\_461.2024 Impact pad number: If not integrated : Manufacturer ...... Serial number: ..... Production date (year / month) : \_\_\_\_

Warning : Read the operating manual before using this equipment!

A sample has been tested and certifies its conformity with the following standards: EN1651:2018+A1:2020 and EN12491:2015+A1:2021. This model corresponds with the tested sample and its airworthiness.

Rev 03 | 04.03.2022 | ISO 94.23b

### AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



## **Paragliding Harness - NfL**

Inspection number:	PH_461.2024	
Manufacturer:	Niviuk Gliders	
Model and size:	Konvers 3 L	
Maximum pilot weight [kg]:	120	
Integrated container for rescue system:	Yes	
If Yes. Volume of the container [cm <sup>3</sup> ]:	<b>3700</b> min <b>6000</b> max	
Serial number:		
Production date (year / month):		-
		-
Harness protector (impact pad)		
Impact pad type:	Airbag	
Impact pad integrated:	Yes	
Impact pad number:	PH_461.2024	
If not integrated: Manufacturer	Serial number:	
Production date (year / month):		

Warning : Read the operating manual before using this equipment!

A sample has been tested and certifies its conformity with the following standards: NfL 2-565-20, EN12491:2015 and EN1651:1999. This model corresponds with the tested sample and its airworthiness.

Rev 05 | 04.03.2022 | ISO 94.23a



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# EU Type Examination Certificate

Date: 2025/04/02

n. 1079251401/OE

Validity: 2030/04/01

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the	AIR GAMES SL		
PPE)	Carrer del Ter 6-Nave D, La Cellera de Ter, Girona – SPAIN		
Type of PPE:	Impact pad for paragliding harness		
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Model	"KONVERS 3"		
Description:	Airbag-type impact pad fitted to paragliding harness. This impact protector is not removable as it is integrated with the harness.		
		description and construction, as well as the functioning I in the Technical File of reference.	
Technical Standard:	EN 1651:2018+A1:2020	Paragliding equipment – Harnesses – Safety requirements and strength tests	
Intended use:	reduce the compression damage to the spine of the pilot in case of wrong landing in paragliding activities.		
Size range:	from S to XL		
Techni <mark>cal</mark> File:	DC-19686		
Test report:	AIR-TURQUOISE SA n° PH_4	61.2024	



Certificato ue E rev06 - 01/02/22



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# EU Type Examination Certificate

Date: 2025/04/02	n. 1079251401/OE	Validity: 2030/04/01		
Functions and performance levels:	Prevent injuries caused by impacts that may occur in paragliding activities, by absorbing the impact energy to the body of the pilot.			
	The protector passed the impact testing performed with a up to a minimum height of 165cm (measured from the impoint of the dummy).  Requirements:  maximum pack value: 50 a:			
	<ul> <li>maximum peak value: 50 g;</li> <li>at value of 38 g: maximum duration of 7 ms;</li> <li>at value of 20 g: maximum duration of 25 ms.</li> </ul>			
Marking:	on a stitched label displaying the following information: - <b>CE Marking</b> ; - registered trademark and web site of the Manufacturer	;		
	<ul> <li>item designation;</li> <li>nr. and year of the European Standard;</li> <li>size indication;</li> </ul>			
	<ul> <li>maximum clip-in weight;</li> <li>serial number;</li> <li>date of manufacture;</li> </ul>			
	<ul> <li>test reference number;</li> <li>notice inviting the user to read the user manual;</li> <li>notices for non-removable impact pads as set out by th</li> </ul>	e Standard;		

- additional info: name/address of the test house and "Made in...".



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).





Certificato ue E rev06 - 01/02/22