



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2581.2025

Date of issue (DMY):

23.07.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Artik R2 20

Serial number:

ARTIKR24.220

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **75**
Minimum weight in flight [kg] **60**
Glider's weight [kg] **4.1**
Number of risers **2+1**
Projected area [m²] **16.76**

Accessories

Range of speed system [cm] **14.4**
Speed range using brakes [km/h] **13**
Total speed range with accessories [km/h] **31**
Range of trimmers [cm] **n/a**

Harness used for testing (max weight)

Harness type **ABS**
Harness brand **Supair s.a.s.**
Harness model **ALTIRANDO Lite 2 S**

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm] **40**
Distance between risers [cm] **44**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A B C A A B C A A A B 0 B B A 0



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785
Date of issue (DMY):
Manufacturer:
Model:
Serial number:

PG_2554.2025
24.06.2025
Niviuk Gliders / Air Games S.L.
Artik R2 21
ARTIKR24221

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	70	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.2	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	17.97		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	41		
Distance between risers [cm]	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A B C A A C A A A B 0 B B A 0



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2552.2025

Date of issue (DMY):

24.06.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Artik R2 23

Serial number:

ARTIKR242231

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **95**
Minimum weight in flight [kg] **80**
Glider's weight [kg] **4.5**
Number of risers **2+1**
Projected area [m²] **19.26**

Accessories

Range of speed system [cm] **16.1**
Speed range using brakes [km/h] **13**
Total speed range with accessories [km/h] **31**
Range of trimmers [cm] **n/a**

Harness used for testing (max weight)

Harness type **ABS**
Harness brand **Niviuk**
Harness model **Makan M**

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm] **41**
Distance between risers [cm] **44**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A B C A A B C A A A B 0 B B A 0



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2555.2025

Date of issue (DMY):

24.06.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Artik R2 24

Serial number:

ARTIKR24224

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	105
Minimum weight in flight [kg]	90
Glider's weight [kg]	4.7
Number of risers	2+1
Projected area [m ²]	20.54

Accessories

Range of speed system [cm]	16.1
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	31
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	41
Distance between risers [cm]	48

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A B C A A B C A A A B 0 B B A 0



Classification: **C**

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785	PG_2582.2025
Date of issue (DMY):	23.07.2025
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Artik R2 25
Serial number:	ARTIKR24.225

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	16
Minimum weight in flight [kg]	100	Speed range using brakes [km/h]	13
Glider's weight [kg]	5	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	21.83		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	NAOS XL	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	45		
Distance between risers [cm]	48		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
C	A	B	C	A	A	A	A	B	C	A	A	A	C	A	A	A	B	0	B	A	A	0



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2589.2025

Date of issue (DMY):

23.07.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Artik R2 27

Serial number:

ARTIKR24.227

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	125
Minimum weight in flight [kg]	110
Glider's weight [kg]	5.2
Number of risers	2+1
Projected area [m ²]	23.11

Accessories

Range of speed system [cm]	16.6
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	31
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 L

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	48

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A B C A A B C A A A B 0 B B A 0