AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



ΠΙΛΙΠΚ

Classification: C

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785 Date of issue (DMY):	PG_2554.2025 24.06.2025
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Artik R2 21
Serial number:	ARTIKR24221

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	70	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.2	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m ²]	17.97		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M		
		Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	41	given in termig. Hene	
Distance between risers [cm]	44		
1 2 3 4 5 6 7 8	9 10 11	12 13 14 15 16 17 18 19 20 21 22	23
C A B C A A A A	B C A	A A C A A A B 0 B A	0

The validation of this test report is given by the signature of the test manager on inspection certificate 91.20 // Rev 08 | 02.02.2025 // ISO | 91.21 // Page 1 of 1

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



ΠΙΛΙΠΚ

Classification: C

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785 Date of issue (DMY):	PG_2552.2025 24.06.2025
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Artik R2 23
Serial number:	ARTIKR242231

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	80	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.5	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m ²]	19.26		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Dereen or company beying presented the	
		Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	41	5 5 Hene	
Distance between risers [cm]	44		
1 2 3 4 5 6 7 8	9 10 11	12 13 14 15 16 17 18 19 20 21 22	23
C A B C A A A A	B C A	A B C A A A B 0 B B A	0

The validation of this test report is given by the signature of the test manager on inspection certificate 91.20 // Rev 08 | 02.02.2025 // ISO | 91.21 // Page 1 of 1

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



ΠΙΛΙΠΚ

Classification: C

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785 Date of issue (DMY):	PG_2555.2025 24.06.2025
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Artik R2 24
Serial number:	ARTIKR24224

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	90	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.7	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m ²]	20.54		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Dereen or company beying presented the	
		Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	41	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Distance between risers [cm]	48		
1 2 3 4 5 6 7 8	9 10 11	12 13 14 15 16 17 18 19 20 21 22	2 23
C A B C A A A A	B C A	A B C A A A B 0 B A	0

The validation of this test report is given by the signature of the test manager on inspection certificate 91.20 // Rev 08 | 02.02.2025 // ISO | 91.21 // Page 1 of 1