



Classification: **D**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785
Date of issue (DMY):
Manufacturer:
Model:
Serial number:

PG_2663.2026
28.01.2026
Niviuk Gliders / Air Games S.L.
Kode 2 P 14
KODE214XX1

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	11
Minimum weight in flight [kg]	50	Speed range using brakes [km/h]	14
Glider's weight [kg]	1.6	Total speed range with accessories [km/h]	25
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	12.57		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	43		
Distance between risers [cm]	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B C A A A A C A C C D A A A A A A A 0



Classification: **C**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2650.2025

Date of issue (DMY):

08.01.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode 2 P 16

Serial number:

KODE216

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	85
Minimum weight in flight [kg]	50
Glider's weight [kg]	1.9
Number of risers	3+1
Projected area [m ²]	14.36

Accessories

Range of speed system [cm]	13.1
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	25
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	41
Distance between risers [cm]	44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A A A A A A A C B C A A A A A A A 0



Classification: **A**

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785	PG_2620.2025
Date of issue (DMY):	08.01.2026
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Kode 2 P 18
Serial number:	KODE218

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	14.0
Minimum weight in flight [kg]	50	Speed range using brakes [km/h]	14
Glider's weight [kg]	2	Total speed range with accessories [km/h]	25
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	16.02		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	Wani Light 2 M	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	43		
Distance between risers [cm]	40		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: **C**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2620.2025

Date of issue (DMY):

08.01.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode 2 P 18

Serial number:

KODE218

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **95**
Minimum weight in flight [kg] **50**
Glider's weight [kg] **2**
Number of risers **3+1**
Projected area [m²] **16.02**

Accessories

Range of speed system [cm] **14.0**
Speed range using brakes [km/h] **14**
Total speed range with accessories [km/h] **25**
Range of trimmers [cm] **n/a**

Harness used for testing (max weight)

Harness type **ABS**
Harness brand **Advance Thun AG**
Harness model **Success 4 M**

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm] **43**
Distance between risers [cm] **44**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B C A A A A A A A C A A A A A A A A 0



Classification: **A**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2640.2025

Date of issue (DMY):

08.01.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode 2 P 20

Serial number:

KODE2205

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **85**
Minimum weight in flight [kg] **60**
Glider's weight [kg] **2.1**
Number of risers **3+1**
Projected area [m²] **17.68**

Accessories

Range of speed system [cm] **14.2**
Speed range using brakes [km/h] **14**
Total speed range with accessories [km/h] **25**
Range of trimmers [cm] **n/a**

Harness used for testing (max weight)

Harness type **ABS**
Harness brand **Niviuk**
Harness model **Makan M**

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm] **41**
Distance between risers [cm] **44**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: **B**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785
Date of issue (DMY): 08.01.2026
Manufacturer: Niviuk Gliders / Air Games S.L.
Model: Kode 2 P 20
Serial number: KODE2205

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	14.2
Minimum weight in flight [kg]	60	Speed range using brakes [km/h]	14
Glider's weight [kg]	2.1	Total speed range with accessories [km/h]	25
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	17.68		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	43		
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A B A A A A A A A A B A A A A A A A A 0



Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2644.2025

Date of issue (DMY):

08.01.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode 2 P 22

Serial number:

KODE222

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **90**
Minimum weight in flight [kg] **65**
Glider's weight [kg] **2.3**
Number of risers **3+1**
Projected area [m²] **19.45**

Accessories

Range of speed system [cm] **14.0**
Speed range using brakes [km/h] **14**
Total speed range with accessories [km/h] **25**
Range of trimmers [cm] **n/a**

Harness used for testing (max weight)

Harness type **ABS**
Harness brand **Niviuk**
Harness model **Makan M**

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm] **41**
Distance between risers [cm] **44**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: **A**

In accordance with standards: EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2024-2-785	PG_2652.2025
Date of issue (DMY):	08.01.2026
Manufacturer:	Niviuk Gliders / Air Games S.L.
Model:	Kode 2 P 24
Serial number:	KODE224XX

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	100	Range of speed system [cm]	14.7
Minimum weight in flight [kg]	70	Speed range using brakes [km/h]	14
Glider's weight [kg]	2.5	Total speed range with accessories [km/h]	25
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	21.22		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	43		
Distance between risers [cm]	46		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: **A**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785
Date of issue (DMY):
Manufacturer:
Model:
Serial number:

PG_2619.2025
08.01.2026
Niviuk Gliders / Air Games S.L.
Kode 2 P 26
KODE226XX

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	119	Range of speed system [cm]	14.1
Minimum weight in flight [kg]	90	Speed range using brakes [km/h]	14
Glider's weight [kg]	2.7	Total speed range with accessories [km/h]	25
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	23		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	NAOS XL	Person or company having presented the glider for testing: None	
Harness to risers distance [cm]	45		
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0