



NIVIUK

Classification: **C**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2645.2025

Date of issue (DMY):

11.12.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Skin 4 P 14

Serial number:

SKIN4P114

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	80
Minimum weight in flight [kg]	50
Glider's weight [kg]	1.0
Number of risers	3
Projected area [m ²]	11.84

Accessories

Range of speed system [cm]	n/a
Speed range using brakes [km/h]	12
Total speed range with accessories [km/h]	n/a
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan M
Harness to risers distance [cm]	41
Distance between risers [cm]	44

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B C 0 0 A A A A A A B A A A A A A 0 A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2598.2025

Date of issue (DMY):

11.12.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Skin 4 P 16

Serial number:

SKINR616

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]

85

Minimum weight in flight [kg]

60

Glider's weight [kg]

1.1

Number of risers

3

Projected area [m²]

13.53

Accessories

Range of speed system [cm]

n/a

Speed range using brakes [km/h]

12

Total speed range with accessories [km/h]

n/a

Range of trimmers [cm]

n/a

Harness used for testing (max weight)

Harness type

ABS

Harness brand

Niviuk

Harness model

Makan M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]

41

Distance between risers [cm]

44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A A A A A B A A A A A A 0 A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2635.2025

Date of issue (DMY):

11.12.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Skin 4 P 18

Serial number:

SKIN4P118

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	90
Minimum weight in flight [kg]	70
Glider's weight [kg]	1.3
Number of risers	3
Projected area [m ²]	15.22

Accessories

Range of speed system [cm]	n/a
Speed range using brakes [km/h]	12
Total speed range with accessories [km/h]	n/a
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Makan L
Harness to risers distance [cm]	41
Distance between risers [cm]	44

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A A A A A A A A A 0 A 0 A 0



NIVIUK

Classification: **B**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2618.2025

Date of issue (DMY):

11.12.2025

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Skin 4 P 20

Serial number:

SKIN4P1201

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	110
Minimum weight in flight [kg]	85
Glider's weight [kg]	1.3
Number of risers	3
Projected area [m ²]	16.91

Accessories

Range of speed system [cm]	n/a
Speed range using brakes [km/h]	12
Total speed range with accessories [km/h]	n/a
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M
Harness to risers distance [cm]	43
Distance between risers [cm]	48

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A B A 0 0 A A A A A A B A A A A 0 A 0 A 0