



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2679.2026

Date of issue (DMY):

11.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 20

Serial number:

KOYOT620V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	70
Minimum weight in flight [kg]	50
Glider's weight [kg]	4
Number of risers	3+1
Projected area [m ²]	17.29

Accessories

Range of speed system [cm]	13.3
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Flugsau GmbH
Harness model	XX-Light

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	40
Distance between risers [cm]	40

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2658.2026

Date of issue (DMY):

04.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 22

Serial number:

KOYOT622V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]

80

Minimum weight in flight [kg]

55

Glider's weight [kg]

4.5

Number of risers

3+1

Projected area [m²]

19

Accessories

Range of speed system [cm]

13.5

Speed range using brakes [km/h]

14

Total speed range with accessories [km/h]

23

Range of trimmers [cm]

n/a

Harness used for testing (max weight)

Harness type

ABS

Harness brand

Supair s.a.s.

Harness model

ALTIRANDO M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

Harness to risers distance [cm]

43

Distance between risers [cm]

44

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2659.2026

Date of issue (DMY):

04.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 24

Serial number:

KOYOT624V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	90
Minimum weight in flight [kg]	65
Glider's weight [kg]	4.8
Number of risers	3+1
Projected area [m ²]	20.74

Accessories

Range of speed system [cm]	13.3
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2660.2026

Date of issue (DMY):

04.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 26

Serial number:

KOYOT626V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	105
Minimum weight in flight [kg]	80
Glider's weight [kg]	5.1
Number of risers	3+1
Projected area [m ²]	22.47

Accessories

Range of speed system [cm]	13.5
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 L

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	48

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2661.2026

Date of issue (DMY):

04.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 28

Serial number:

KOYOT628V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	119
Minimum weight in flight [kg]	95
Glider's weight [kg]	5.4
Number of risers	3+1
Projected area [m ²]	24.2

Accessories

Range of speed system [cm]	14.1
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	NAOS L
Harness to risers distance [cm]	45
Distance between risers [cm]	48

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



NIVIUK

Classification: **A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2662.2026

Date of issue (DMY):

11.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 30

Serial number:

KOYOT630V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	135
Minimum weight in flight [kg]	110
Glider's weight [kg]	5.6
Number of risers	3+1
Projected area [m ²]	26.79

Accessories

Range of speed system [cm]	13.6
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair s.a.s.
Harness model	Walibi 3
Harness to risers distance [cm]	41
Distance between risers [cm]	48

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0