

**Classification: A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2691.2026

Date of issue (DMY):

12.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 P 20

Serial number:

KOYOT620V3

Configuration during flight tests**Paraglider**

Maximum weight in flight [kg]	70
Minimum weight in flight [kg]	50
Glider's weight [kg]	3
Number of risers	3+1
Projected area [m ²]	17.29

Accessories

Range of speed system [cm]	13.3
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Flugsau GmbH

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness model **XX-Light**Person or company having presented the
glider for testing: **None**Harness to risers distance [cm] **40**Distance between risers [cm] **40**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
A	0																					

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



paragliding by air turquoise

NIVIUK

Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2692.2026

Date of issue (DMY):

12.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 P 22

Serial number:

KOYOT622V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]

80 Range of speed system [cm] 13.5

Minimum weight in flight [kg]

55 Speed range using brakes [km/h] 14

Glider's weight [kg]

3.3 Total speed range with accessories [km/h] 23

Number of risers

3+1 Range of trimmers [cm] n/a

Projected area [m²]

19

Accessories

Harness used for testing (max weight)

Inspections (whichever happens first)

Harness type

every 100 hours of use or every 24 months

Harness brand

Supair s.a.s.

Harness model

ALTIRANDO M

Harness to risers distance [cm]

43

Person or company having presented the
glider for testing: **None**

Distance between risers [cm]

44

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
A	0																					

**Classification: A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2693.2026

Date of issue (DMY):

12.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 P 24

Serial number:

KOYOT624V3

Configuration during flight tests**Paraglider**

Maximum weight in flight [kg]	90
Minimum weight in flight [kg]	65
Glider's weight [kg]	3.6
Number of risers	3+1
Projected area [m ²]	20.74

Accessories

Range of speed system [cm]	13.3
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness model	Wani Light 2 M
---------------	-----------------------

Person or company having presented the
glider for testing: **None**

Harness to risers distance [cm]	43
---------------------------------	-----------

Distance between risers [cm]	44
------------------------------	-----------

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

A 0

**Classification: A**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2694.2026

Date of issue (DMY):

12.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 P 26

Serial number:

KOYOT6P26V21

Configuration during flight tests**Paraglider**

Maximum weight in flight [kg]	105
Minimum weight in flight [kg]	80
Glider's weight [kg]	3.8
Number of risers	3+1
Projected area [m ²]	22.47

Accessories

Range of speed system [cm]	13.7
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS	Inspections (whichever happens first) every 100 hours of use or every 24 months
--------------	------------	---

Harness brand **Advance Thun AG**Harness model **Success 4 M**Harness to risers distance [cm] **43**Person or company having presented the
glider for testing: **None**Distance between risers [cm] **48**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
A	0																					

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



paragliding by air turquoise

NIVIUK

Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2695.2026

Date of issue (DMY):

12.02.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 6 P 28

Serial number:

KOYOT628V3

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	119
Minimum weight in flight [kg]	95
Glider's weight [kg]	4.2
Number of risers	3+1
Projected area [m ²]	24.2

Accessories

Range of speed system [cm]	14.1
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	23
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness model	NAOS L
---------------	---------------

Person or company having presented the
glider for testing: **None**

Harness to risers distance [cm]	45
---------------------------------	-----------

Distance between risers [cm]	48
------------------------------	-----------

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

A 0