



Classification: **D**

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2720.2026

Date of issue (DMY):

09.09.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 7 21

Serial number:

PEAK721V4

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	90
Minimum weight in flight [kg]	75
Glider's weight [kg]	4.9
Number of risers	2+1
Projected area [m ²]	17.84

Accessories

Range of speed system [cm]	17.5
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	32
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley srl
Harness model	Wani Light 2 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	44

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B D A C B C A A A D 0 B B A 0



Classification: **D**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2721.2026

Date of issue (DMY):

09.09.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 7 23

Serial number:

PEAK723XX

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	100
Minimum weight in flight [kg]	85
Glider's weight [kg]	5
Number of risers	2+1
Projected area [m ²]	19.11

Accessories

Range of speed system [cm]	17.1
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	32
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	46

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B D C A C C A A A B 0 B B A 0



Classification: **D**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785

PG_2722.2026

Date of issue (DMY):

09.09.2026

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 7 24

Serial number:

PEAK724XX

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	113
Minimum weight in flight [kg]	95
Glider's weight [kg]	5.5
Number of risers	2+1
Projected area [m ²]	20.38

Accessories

Range of speed system [cm]	17.2
Speed range using brakes [km/h]	13
Total speed range with accessories [km/h]	32
Range of trimmers [cm]	n/a

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M

Inspections (whichever happens first)

every 100 hours of use or every 24 months

Harness to risers distance [cm]	43
Distance between risers [cm]	48

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B D A A C C A A A B 0 B B A 0