

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comté 8 ▲ CH-1844 Villeneuve ▲ +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



Classification: **B**

 **NIVIUK**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1744.2020

01.12.2020

Niviuk Gliders / Air Games S.L.

Takoo 5 39

TAKOO5338

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	190
Minimum weight in flight (kg)	110
Glider's weight (kg)	7.14
Number of risers	4
Projected area (m2)	32.18

Accessories

Range of speed system (cm)	0
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	10.1

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Bi pro 2

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **55**

Distance between risers (cm) **55**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A B B A A B B A A A A B 0 A 0



Classification: **B**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1735.2020

30.11.-0001

Niviuk Gliders / Air Games S.L.

Takoo 5 42

TAKOO5341

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	220
Minimum weight in flight (kg)	120
Glider's weight (kg)	7.5
Number of risers	4
Projected area (m2)	34.72

Accessories

Range of speed system (cm)	0
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	10.4

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Bi pro 2

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **55**

Distance between risers (cm) **55**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A A B A A B B A A A A B 0 A 0



Classification: **B**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

PG_1745.2020

Date of issue (DMY):

02.12.2020

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Takoo 5 44

Serial number:

TAKOO5344

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	239
Minimum weight in flight (kg)	140
Glider's weight (kg)	8.06
Number of risers	4
Projected area (m2)	37.26

Accessories

Range of speed system (cm)	0
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	10.5

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Bi pro 2

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **55**

Distance between risers (cm) **55**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A 0 0 A A B B B A B B A A A A 0 A A A 0