

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comté 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1795.2021

12.03.2021

Niviuk Gliders / Air Games S.L.

Klimber 2P 20

KLIMBER2620

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	78
Minimum weight in flight (kg)	64
Glider's weight (kg)	2.7
Number of risers	2
Projected area (m2)	17.3

Accessories

Range of speed system (cm)	15
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	37
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Success 4 M
Harness to risers distance (cm)	44
Distance between risers (cm)	44

Inspections (whichever happens first)

Every 100 hours of use or every 24 months (whichever happens first)
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A D B A A C C A A A B 0 A A A 0

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comté 8 ▲ CH-1844 Villeneuve ▲ +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1796.2021

12.03.2021

Niviuk Gliders / Air Games S.L.

Klimber 2P 21

KLIMBER26121

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	93
Minimum weight in flight (kg)	75
Glider's weight (kg)	2.8
Number of risers	2
Projected area (m2)	18.3

Accessories

Range of speed system (cm)	15
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	37
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Success 4 M
Harness to risers distance (cm)	44
Distance between risers (cm)	46

Inspections (whichever happens first)

Every 100 hours of use or every 24 months (whichever happens first)
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: Tim Rochas

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B C A A B C A A A B 0 B A A 0

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comté 8 ▲ CH-1844 Villeneuve ▲ +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses
and paraglider reserve parachutes



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1799.2021

12.03.2021

Niviuk Gliders / Air Games S.L.

Klimber 2P 23

KLIMBER223

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	105
Minimum weight in flight (kg)	88
Glider's weight (kg)	2.9
Number of risers	2
Projected area (m2)	19.6

Accessories

Range of speed system (cm)	16
Speed range using brakes (km/h)	14
Total speed range with accessories (km/h)	37
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Success 4 L
Harness to risers distance (cm)	44
Distance between risers (cm)	46

Inspections (whichever happens first)

Every 100 hours of use or every 24 months (whichever happens first)
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B B A A B C A A A B 0 A A A 0