Route du Pré-au-Comte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65



Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes

### **Paragliding Harness - EN**

| Inspection number :                                 | PH_327.2021          |
|---|----------------------|
| Manufacturer :                                      | Niviuk Gliders       |
| Model and size :                                    | Hawk L               |
| Maximum pilot weight [kg]:                          | 120                  |
| Integrated container for rescue system:             | Yes                  |
| If Yes. Volume of the container [cm <sup>3</sup> ]: | 2'000 min 10'000 max |
| Serial number:                                      |                      |
| Production date (year / month) :                    |                      |
| Harness protector (impact pad)                      |                      |
| Impact pad type:                                    | Foam                 |
| Impact pad integrated:                              | Yes                  |
| Impact pad number:                                  | MISC_192.2021        |
| If not integrated : Manufacturer                    | Serial number:       |
| Production date (year / month):                     |                      |

Warning : Read the operating manual before using this equipment!

A sample has been tested and certifies its conformity with the following standard: **EN1651:2018**, **EN12491:2015**. This model corresponds with the tested sample and its airworthiness.

BR | rev 02 | 21.11.2019 | ISO 94.23b

Route du Pré-au-Comte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65



Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes

### Paragliding Harness - LTF

| Inspection number :                                 | PH_327.2021          |
|---|----------------------|
| Manufacturer:                                       | Niviuk Gliders       |
| Model and size :                                    | Hawk L               |
| Maximum pilot weight [kg]:                          | 120                  |
| Integrated container for rescue system:             | Yes                  |
| If Yes. Volume of the container [cm <sup>3</sup> ]: | 2'000 min 10'000 max |
| Serial number:                                      |                      |
| Production date (year / month):                     |                      |
|   |                      |
| Harness protector (impact pad)                      |                      |
| Impact pad type:                                    | Foam                 |
| Impact pad integrated:                              | Yes                  |
| Impact pad number:                                  | MISC_192.2021        |
| If not integrated : Manufacturer                    | Serial number:       |
| Production date (year / month):                     |                      |
|   |                      |

Warning : Read the operating manual before using this equipment!

A sample has been tested and certifies its conformity with the following standard: EN1651:1999, EN12491:2015 and LTF NfL II 91/09. This model corresponds with the tested sample and its airworthiness.

BR | rev 02 | 21.11.2019 | ISO 94.23

Route du Pré-au-Comte 8 A CH-1844 Villeneuve A +41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



## Harness inspection certificate - LTF

Inspection certificate number: PH 327.2021 MISC 192.2021 Impact pad number:

Manufacturer data

Manufacturer name:

Niviuk Gliders

Representative: Street:

Dominique Cizeau C. Del Ter, 6-Nave D

Post code / place:

17165 La Cellera de Ter Girona

Country:

Spain

Sample data:

Harness

Impact pad

Name: Type: Size:

Hawk ABS

Name Impact pad: (1) Impact pad integrated: (1) Impact pad type:

Yes Foam 0.402

Hakfo

Weight of Sample [kg]: Serial number:

3.98 Arrow L-V8 Weight of Sample [kg]: (1) Serial number: (1)

HAKFO2.0

Clip-in weight [kg]: Integrated container for 120 Yes

Date of reception:

01.06.2021

rescue system: Volume container [cm3]:

10'000 max

2'000 min

Date of reception:

23.09.2020

Test report summary

Structual test

Impact pad test

Result Place Date

**POSITIVE** Villeneuve 22.10.2020 **POSITIVE** Villeneuve 01.06.2021

Issue data

Place of declaration:

Date of issue:

Villeneuve 15.07.2021

Managing Director: Signature:

Andrea Wigger

This signature approve the validity of the test reports if available; no. 94.21 (test id 02, 03, 13, 09, 04, 14, 07) and no. 94.22 (test id: P, PR) Air Turquoise SA, having thoroughly assessed the sample mentioned above, declare it was found conform with all requirements defined by the following norms:

Airworthiness Requirements LTF NfL II 91/09 - EN12491:2015 5.3.2

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place - as mentioned here above This inspection certificate contain the following test and is complet with the test, if available, report: 94.21 and 94.22

<sup>(1)</sup> If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismounted from the harness, e.g. airbag.

Route du Pré-au-Comte 8 . CH-1844 Villeneuve . + 41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



## Harness inspection certificate - EN

Inspection certificate number:

PH 327.2021

Impact pad number:

MISC 192.2021

#### Manufacturer data

Manufacturer name:

**Niviuk Gliders** 

Representative:

Dominique Cizeau C. Del Ter, 6-Nave D

Street:
Post code / place:

17165 La Cellera de Ter Girona

Country:

Spain

|      |     | 277770 |  |
|------|-----|--------|--|
| Samo | 100 | ata:   |  |
|      |     |        |  |

#### Harness

Impact pad

Name: Type: Hawk ABS Name Impact pad: (1)
Impact pad integrated: (1)

Hakfo Yes Foam

Size: Weight of Sample [kg]:

3.98

Yes

Impact pad type:
Weight of Sample [kg]: (1)

0.402 HAKFO2.0

Serial number:

Arrow L-V8 120 Serial number: (1)

Date of reception:

01.06.2021

Clip-in weight [kg]: Integrated container for

rescue system: Volume container [cm³]:

10'000 max

2'000 min

Date of reception:

23.09.2020

#### Test report summary

#### Structual test

Impact pad test

Result Place Date

POSITIVE Villeneuve 22.10.2020

POSITIVE Villeneuve 01.06.2021

#### Issue data

Place of declaration:

Villeneuve

Date of issue: Managing Director: 15.07.2021

Signature:

Andrea Wigger

"This inspection certificate is NOT covered by accreditation D-IS-19457-01."

This signature approve the validity of the test reports if available; no. 94.21b (test id 01,03,05,06,08,09,10,11,12,14,RRDT,RRST) and no. 94.22 (test id: P,PR) **Air Turquoise SA**, having thoroughly assessed the sample mentioned above, declare it was found conform with all requirements defined by the following norms:

European Standard EN1651:2018 and EN12491:2015

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place – as mentioned here above.

This inspection certificate contain the following test and is complet with the test, if available, report: 94.21 and 94.22

<sup>(1)</sup> If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismounted from the harness, e.g. airbag.



Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





## EU Type Examination Certificate

Date: 2024/05/10 n. 1079241901/OE Validity: 2029/05/09

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

| Manufacturer:<br>(Responsible of the<br>PPE) | AIR GAMES SL<br>Carrer del Ter 6-Nave D, La Cellera de Ter, Girona – SPAIN   |
|--|--|
| Type of PPE:                                 | Impact pad for paragliding harness   |
| Category of PPE:                             | II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force. |
| Model  | "HAKFO"  |

Description:

Foam impact protector to be fitted into paragliding harness. This impact protector is removable, and therefore it can be detached from the harness.



The complete material description and construction of this impact protector can be found in the Technical File of reference.

This impact protector is associated with the reference paragliding harnesses:

- ARROW
- HAWK

See pictures on page 3.

| Technical Standard: | EN 1651:2018+A1:2020                             | Paragliding equipment – Harnesses – Safety requirements and strength tests |
|---------------------|--|--|
| Intended use:       | reduce the compression deparagliding activities. | amage to the spine of the pilot in case of wrong landing in                |
| Size range:         | from S to XL                                     |  |
| Technical File:     | DC-17355   |  |
|                     |  |  |

AIR-TURQUOISE SA n° MISC\_192.2021 rev.01 Test report:





#### PRD Nº 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





### **EU Type Examination Certificate**

Date: 2024/05/10 n. **1079241901/OE** Validity: 2029/05/09

# Functions and performance levels:

Prevent injuries caused by impacts that may occur in paragliding activities, by absorbing the impact energy to the body of the pilot.

The protector passed the impact testing performed with a test dummy (min. 50 Kg) lifted up to a minimum height of 165cm (measured from the impact surface to the lowest point of the dummy).

#### Requirements:

- maximum peak value: 50 g;
- at value of 38 g: maximum duration of 7 ms;
- at value of 20 g: maximum duration of 25 ms.

#### Marking:

on a stitched label displaying the following information:

- CE Marking;
- registered trademark and web site of the Manufacturer;
- item designation of the PPE;
- nr. and year of the European Standard of reference;
- size indication;
- date of manufacture;
- test reference number;
- notice inviting the user to read the user manual;
- notice for removable impact pads as set out by the Standard;
- additional info: name/address of the test house and "Made in...".

| HAKFO  |                           | Date of manufacture |  |
|--|---------------------------|---------------------|--|
|  |                           | Size                |  |
| Niviuk Impact Pad  |                           |                     |  |
| Test ref. number<br>MISC_192.2021 rev. 01 / EN 1651:2018 + A1:2020   |                           | Inspected by        |  |
| Read manual before use   |                           |                     |  |
| The impact damping characteristics of impact through ageing. Periodically check the impaccordance with the manufacturer's instru | pact pad's function and o |                     |  |
| Testing laboratory Air Turquoise SA Rte du Pré-au-Compte 8   CH - 1844 Villeneuve  |                           | <b>∕</b> IIVIUK     |  |
| MADE IN VIETNAM  | www.niviuk.com            |                     |  |







#### PRD N° 0230 E

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# EU Type Examination Certificate

Date: 2024/05/10 n. **1079241901/OE** Validity: 2029/05/09

#### Reference paragliding harnesses:

ARROW





**HAWK** 

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

