



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1566.2019

12.12.2019

Niviuk Gliders / Air Games S.L.

Koyot 4 22

OIKT4222V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	70
Minimum weight in flight (kg)	45
Glider's weight (kg)	4.2
Number of risers	3
Projected area (m2)	18.75

Accessories

Range of speed system (cm)	14
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Altiplume S
Harness to risers distance (cm)	44
Distance between risers (cm)	40

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **NEF Olivier**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A A A A A A A A A A A A A A 0



Classification: **A**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1547.2019

Date of issue (DMY):

10.09.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 4 24

Serial number:

OIKT4242V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	80
Minimum weight in flight (kg)	60
Glider's weight (kg)	4.6
Number of risers	3
Projected area (m2)	20.45

Accessories

Range of speed system (cm)	13
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance
Harness model	Success 4 M
Harness to risers distance (cm)	44
Distance between risers (cm)	40

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A A A A A A A A A A A A A A 0



Classification: **A**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1548.2019

Date of issue (DMY):

10.09.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 4 26

Serial number:

OIKT4262V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	95
Minimum weight in flight (kg)	75
Glider's weight (kg)	4.8
Number of risers	3
Projected area (m2)	22.16

Accessories

Range of speed system (cm)	15
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Evo XC 3 L
Harness to risers distance (cm)	44
Distance between risers (cm)	44

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A A A A A A A A A A A A A A 0



Classification: **A**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1550.2019

Date of issue (DMY):

10.09.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 4 28

Serial number:

OIKT4282V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	115
Minimum weight in flight (kg)	90
Glider's weight (kg)	5.1
Number of risers	3
Projected area (m2)	23.86

Accessories

Range of speed system (cm)	13
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Evo XC 3 L
Harness to risers distance (cm)	47
Distance between risers (cm)	48

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A A A A A A A A A A A A A A 0



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1567.2019

11.02.2020

Niviuk Gliders / Air Games S.L.

Koyot 4 31

OIKT4312V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	135
Minimum weight in flight (kg)	110
Glider's weight (kg)	5.5
Number of risers	3
Projected area (m2)	26.42

Accessories

Range of speed system (cm)	13
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	21
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Evo XC 3 L
Harness to risers distance (cm)	44
Distance between risers (cm)	48

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A A A A A A A A A A A A A A 0

Line and Riser measurements report for flight test glider

Report number: **PG_1566.2019**

Sample name: **Koyot 4 22**

Manufacturer: **Niviuk**

S/N: **OIKT4222V1**

Total line length include riser and carabiner/connect [mm]

		A	B	C	D	E	Stab	Brakes
Center	1	6357	6255	6316	6430		5623	6807
	2	6324	6232	6297	6406		5650	6486
	3	6279	6194	6268	6376		5716	6369
	4	6250	6153	6238	6334			6218
	5	6196	6121	6205	6314			6051
	6	6091	6031	6104	6196			6060
	7	6020	5989	6079	6149			6115
	8	5847	5803					5982
	9							5838
Wing tip	10							5752
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							

Measure total riser length with no carabiners/connect [mm]

Risers	Std	Acc
A	465	324
A'	463	322
B	463	368
C	465	465
D		
Acc	140	*[mm]
Trimmer	n/a	[mm]

*Travel range (distance between A and rear riser)



Line and Riser measurements report for flight test glider

Report number: **PG_1547.2019**
 Manufacturer: **Niviuk Gliders**

Sample name: **Koyot 4 24**
 S/N: **OIKT4242V1**

Total line length include riser and carabiner/connect [mm]

		A	B	C	D	E	Stab	Brakes
Center	1	6633	6536	6579	6694		5871	7133
	2	6605	6499	6561	6666		5900	6804
	3	6563	6465	6530	6633		5968	6678
	4	6534	6434	6501	6606			6524
	5	6474	6400	6481	6587			6353
	6	6361	6293	6373	6463			6366
	7	6287	6248	6340	6412			6419
	8	6109	6060					6279
	9							6133
Wing tip	10							6047
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							

Measure total riser length with no carabiners/connect [mm]

Risers	Std	Acc
A	461	334
A'	464	337
B	461	377
C	465	465
D		
Acc	130	*[mm]
Trimmer	n/a	[mm]

*Travel range (distance between A and rear riser)



Line and Riser measurements report for flight test glider

Report number: **PG_1548.2019**
 Manufacturer: **Niviuk Gliders**

Sample name: **Koyot 4 26**
 S/N: **OIKT4262V1**

Total line length include riser and carabiner/connect [mm]

		A	B	C	D	E	Stab	Brakes
Center	1	6924	6813	6871	6987		6133	7428
	2	6895	6778	6836	6956		6166	7080
	3	6852	6739	6810	6926		6238	6939
	4	6812	6710	6787	6891			6782
	5	6754	6673	6766	6871			6609
	6	6637	6572	6654	6743			6622
	7	6565	6518	6626	6689			6715
	8	6378	6330					6530
	9							6396
Wing tip	10							6291
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							

Measure total riser length with no carabiners/connect [mm]

Risers	Std	Acc
A	465	310
A'	466	308
B	464	359
C	467	467
D		
Acc	156	*[mm]
Trimmer	n/a	[mm]

*Travel range (distance between A and rear riser)



Line and Riser measurements report for flight test glider

Report number: **PG_1549.2019**
 Manufacturer: **Niviuk Gliders**

Sample name: **Koyot 4 28**
 S/N: **OIKT4282V1**

Total line length include riser and carabiner/connect [mm]

		A	B	C	D	E	Stab	Brakes
Center	1	7178	7058	7124	7248		6361	7746
	2	7149	7030	7093	7215		6396	7390
	3	7106	6996	7065	7188		6465	7254
	4	7071	6965	7029	7136			7089
	5	6998	6925	7021	7139			6909
	6	6877	6817	6904	7009			6926
	7	6801	6771	6876	6959			6981
	8	6615	6563					6830
	9							6664
Wing tip	10							6580
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							

Measure total riser length with no carabiners/connect [mm]

Risers	Std	Acc
A	463	336
A'	464	335
B	461	376
C	468	468
D		
Acc	130	*[mm]
Trimmer	n/a	[mm]

*Travel range (distance between A and rear riser)