Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2610.2025

01.10.2025

Niviuk Gliders / Air Games S.L.

WILKO 22

UGWKO22S00001

Configuration during flight tests

| Paraglider | | Accessories | |
|---------------------------------|------------------|---|-----|
| Maximum weight in flight [kg] | 70 | Range of speed system [cm] | n/a |
| Minimum weight in flight [kg] | 50 | Speed range using brakes [km/h] | 24 |
| Glider's weight [kg] | 4.5 | Total speed range with accessories [km/h] | n/a |
| Number of risers | 3+1 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 19.15 | | |
| Harness used for testing (max v | weight) | Inspections (whichever happens first) | |
| Harness type | ABS | every 100 hours of use or every 24 months | |
| Harness brand | Woody Valley srl | | |
| Harness model | Wani Light 2 M | Person or company having presented the | |
| Harness to risers distance [cm] | 43 | glider for testing: None | |
| Distance between risers [cm] | 40 | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2611.2025

01.10.2025

Niviuk Gliders / Air Games S.L.

WILKO 24

UGWKO24E00002

Configuration during flight tests

| Paraglider | | Accessories | |
|---------------------------------|------------------|---|-----|
| Maximum weight in flight [kg] | 80 | Range of speed system [cm] | n/a |
| Minimum weight in flight [kg] | 60 | Speed range using brakes [km/h] | 24 |
| Glider's weight [kg] | 4.8 | Total speed range with accessories [km/h] | n/a |
| Number of risers | 3+1 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 20.9 | | |
| Harness used for testing (max | weight) | Inspections (whichever happens first) | |
| Harness type | ABS | every 100 hours of use or every 24 months | |
| Harness brand | Woody Valley srl | | |
| Harness model | Wani Light 2 M | Person or company having presented the | |
| Harness to risers distance [cm] | 43 | glider for testing: None | |
| Distance between risers [cm] | 44 | | |
| | | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

A A A O O A A A A A A A A A A A A A A

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Serial number:

Model:

PG_2612.2025

01.10.2025

Niviuk Gliders / Air Games S.L.

WILKO 26

UGWKO26A00003

Configuration during flight tests

| Paraglider | | Accessories | |
|--------------------------------|--------------------|---|-----|
| Maximum weight in flight [kg] | 95 | Range of speed system [cm] | n/a |
| Minimum weight in flight [kg] | 75 | Speed range using brakes [km/h] | 24 |
| Glider's weight [kg] | 5.1 | Total speed range with accessories [km/h] | n/a |
| Number of risers | 3+1 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 22.64 | | |
| Harness used for testing (m | nax weight) | Inspections (whichever happens first) | |
| Harness type | ABS | every 100 hours of use or every 24 months | |
| Harness brand | Supair s.a.s. | | |
| Harness model | ALTIRANDO Lite 2 S | Person or company having presented the | |
| Harness to risers distance [cr | n] 40 | glider for testing: None | |
| Distance between risers [cm] | 45 | | |

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785
Date of issue (DMY):

Manufacturer:

Mariulaciulei.

Model:

Serial number:

PG_2613.2025

01.10.2025

Niviuk Gliders / Air Games S.L.

WILKO 28

UGWKO28S00004

Configuration during flight tests

| Paraglider | | Accessories | |
|---------------------------------|------------------|--|-----|
| Maximum weight in flight [kg] | 115 | Range of speed system [cm] | n/a |
| Minimum weight in flight [kg] | 90 | Speed range using brakes [km/h] | 24 |
| Glider's weight [kg] | 5.4 | Total speed range with accessories [km/h] | n/a |
| Number of risers | 3+1 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 24.38 | | |
| | | | |
| Harness used for testing (max | weight) | Inspections (whichever happens first) | |
| Harness type | ABS | every 100 hours of use or every 24 months | |
| Harness brand | Woody Valley srl | | |
| Harness model | Wani Light 2 L | Person or company having presented the | |
| | | Person or company having presented the glider for testing: None | |
| Harness to risers distance [cm] | 43 | gider for testing. Notice | |
| Distance between risers [cm] | 48 | | |
| | | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785
Date of issue (DMY):

Manufacturer:

mananaotai oi .

Model:

Serial number:

PG_2614.2025

01.10.2025

Niviuk Gliders / Air Games S.L.

WILKO 31

UGWKO31E00005

Configuration during flight tests

| Paraglider | | Accessories | |
|---------------------------------|---------------|---|-----|
| Maximum weight in flight [kg] | 135 | Range of speed system [cm] | n/a |
| Minimum weight in flight [kg] | 105 | Speed range using brakes [km/h] | 24 |
| Glider's weight [kg] | 5.9 | Total speed range with accessories [km/h] | n/a |
| Number of risers | 3+1 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 26.99 | | |
| Harness used for testing (max | x weight) | Inspections (whichever happens first) | |
| Harness type | ABS | every 100 hours of use or every 24 months | |
| Harness brand | Supair s.a.s. | | |
| Harness model | Walibi 3 | Person or company having presented the | |
| Harness to risers distance [cm] | 41 | glider for testing: None | |
| Distance between risers [cm] | 48 | | |
| | | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

A A A O O A A A A A A A A A A A O A O