



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

PG\_1661.2020

Date of issue (DMY):

08.04.2020

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 5 21

Serial number:

Peak5211

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>85</b>
Minimum weight in flight (kg)	<b>70</b>
Glider's weight (kg)	<b>5</b>
Number of risers	<b>2</b>
Projected area (m2)	<b>17.53</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>35</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**C A B C A A A A D D A A A D A A A B 0 A A A 0**



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

PG\_1611.2019

Date of issue (DMY):

13.02.2020

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 5 22

Serial number:

OPK522V33

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>98</b>
Minimum weight in flight (kg)	<b>80</b>
Glider's weight (kg)	<b>5.3</b>
Number of risers	<b>2</b>
Projected area (m2)	<b>18.81</b>

### Accessories

Range of speed system (cm)	<b>14</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>35</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 L</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**C A B C A A A A D D B A C D A A A B 0 B B A 0**



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_1622.2019

13.02.2020

Niviuk Gliders / Air Games S.L.

Peak 5 24

Peak53324V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>110</b>
Minimum weight in flight (kg)	<b>92</b>
Glider's weight (kg)	<b>5.6</b>
Number of risers	<b>2</b>
Projected area (m2)	<b>20.1</b>

### Accessories

Range of speed system (cm)	<b>14</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>35</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Icaro</b>
Harness model	<b>Energy 2 L</b>
Harness to risers distance (cm)	<b>43</b>
Distance between risers (cm)	<b>48</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **Tim Rochas**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**C A B C A A A A D D A A C D A A A B 0 B B A 0**



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

PG\_1673.2020

Date of issue (DMY):

16.04.2020

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Peak 5 26

Serial number:

Peak5261

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>125</b>
Minimum weight in flight (kg)	<b>105</b>
Glider's weight (kg)	<b>6</b>
Number of risers	<b>2</b>
Projected area (m2)	<b>21.8</b>

### Accessories

Range of speed system (cm)	<b>17</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>35</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Evo XC 3 L</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>48</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**C A B C A A A A C D A A B D A A A B 0 C C A 0**