



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

**PG\_1442.2019**

Date of issue (DMY):

**04.07.2019**

Manufacturer:

**Niviuk Gliders / Air Games S.L.**

Model:

**Hook 5 20**

Serial number:

**NIH520V1**

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>70</b>
Minimum weight in flight (kg)	<b>55</b>
Glider's weight (kg)	<b>4.1</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>17.06</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Altiplume S</b>
Harness to risers distance (cm)	<b>41</b>
Distance between risers (cm)	<b>40</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A B B A A A B A A A A A A A 0**



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

**PG\_1419.2018**

Date of issue (DMY):

**28.02.2019**

Manufacturer:

**Niviuk Gliders / Air Games S.L.**

Model:

**Hook 5 22**

Serial number:

**NIPS10220181**

### Configuration during flight tests

**Paraglider**

Maximum weight in flight (kg)	<b>80</b>
Minimum weight in flight (kg)	<b>60</b>
Glider's weight (kg)	<b>4.3</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>18.76</b>

**Accessories**

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

**Harness used for testing (max weight)**

Harness type	<b>ABS</b>
Harness brand	<b>Niviuk</b>
Harness model	<b>Konvers M</b>
Harness to risers distance (cm)	<b>43</b>
Distance between risers (cm)	<b>44</b>

**Inspections (whichever happens first)**

every 24 months or every 100 flying hours  
 Warning! Before use refer to user's manual  
 Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A B A A A A A A A A A A B A 0**



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

**PG\_1420.2018**

Date of issue (DMY):

**28.02.2019**

Manufacturer:

**Niviuk Gliders / Air Games S.L.**

Model:

**Hook 5 24**

Serial number:

**V8**

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>92</b>
Minimum weight in flight (kg)	<b>70</b>
Glider's weight (kg)	<b>4.6</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>20.47</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Evo XC 3 M</b>
Harness to risers distance (cm)	<b>43</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A A B A A A A A A A A B A A 0**



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG\_1421.2018

Date of issue (DMY):

28.02.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 26

Serial number:

NIPS10220182

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>105</b>
Minimum weight in flight (kg)	<b>82</b>
Glider's weight (kg)	<b>4.9</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>22.17</b>

### Accessories

Range of speed system (cm)	<b>16</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Gin Gliders</b>
Harness model	<b>Gingo 2 L</b>
Harness to risers distance (cm)	<b>43</b>
Distance between risers (cm)	<b>46</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A A B A A A A A A A A A A A A 0**



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG\_1422.2018

Date of issue (DMY):

30.11.-0001

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 28

Serial number:

NIH528V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>120</b>
Minimum weight in flight (kg)	<b>95</b>
Glider's weight (kg)	<b>5.1</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>23.88</b>

### Accessories

Range of speed system (cm)	<b>15</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Ava Sport</b>
Harness model	<b>Acro 1 L</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **43**

Distance between risers (cm) **48**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A B A A A A A A A A B B A 0**



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG\_1423.2018

Date of issue (DMY):

30.11.-0001

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 31

Serial number:

NIH531V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>135</b>
Minimum weight in flight (kg)	<b>110</b>
Glider's weight (kg)	<b>5.7</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>26.44</b>

### Accessories

Range of speed system (cm)	<b>15</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>25</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Ava Sport</b>
Harness model	<b>Acro 1 L</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **43**

Distance between risers (cm) **48**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A B A A A A A A A A B B A 0**